

## Erledigt Bootvorgang hängt nach Installation

Beitrag von „R3PTIL3“ vom 26. November 2015, 21:00

Hallo nochmal ein kleines Update meinerseits, schade das bis jetzt noch niemand geantwortet hat.

Ich habe nochmal den Stick neu erstellt und die config.plist laut einer Anleitung ein wenig bearbeitet.

Nun lädt er mit dem Parameter -v schon etwas mehr wie auf den Bildern oben zu sehen aber leider komme ich immer noch nicht zur Installation ich hoffe jemand kann da helfen 😊

Hier mal ein Bild wo es jetzt hakt...

```
Thu Nov 26 11:06:19 2015 localhost com.apple.xpc.launchd[1] (com.apple.TrustEvaluationAgent) <Notice>: This key does not do anything: OsDown
Thu Nov 26 11:06:19 2015 localhost com.apple.xpc.launchd[1] (com.apple.xpc.launchd.domain.user.0) <Error>: Could not read path: path = /Library/LaunchAgents, error = 2: No such file or directory
Thu Nov 26 11:06:19 2015 localhost com.apple.xpc.launchd[1] (com.apple.xpc.launchd.domain.user.0) <Error>: Failed to bootstrap path: path = /Library/LaunchAgents, error = 2: No such file or directory
NFS driver 3.13 (Flags: R/W).
NFS volume name , version 3.1.
NFS-fs error (device /dev/disk0s1, pid 241): ntfs_restart_page_header_is_valid(): $LogFile version 2.0 is not supported. (This driver supports version 1.1 only.)
NFS-fs error (device /dev/disk0s1, pid 241): ntfs_restart_page_header_is_valid(): $LogFile version 2.0 is not supported. (This driver supports version 1.1 only.)
NFS-fs error (device /dev/disk0s1, pid 241): ntfs_logfile_check(): Did not find any restart pages in $LogFile and it was not empty.
NFS-fs warning (device /dev/disk0s1, pid 241): ntfs_system_inodes_get(): $LogFile is not clean. Will not be able to remount read-write. Mount in Windows.
NFS-fs warning (device /dev/disk0s1, pid 241): ntfs_system_inodes_get(): Windows is hibernated. Will not be able to remount read-write. Run chkdsk.
Thu Nov 26 11:06:26 2015 MacBook-Pro.local com.apple.xpc.launchd[1] (MyListenerSocket) <Error>: No PRIN environment variable set. The application firewall will not work with this service.
Thu Nov 26 11:06:26 2015 MacBook-Pro.local com.apple.xpc.launchd[1] (MyListenerSocket) <Error>: No PRIN environment variable set. The application firewall will not work with this service.
Thu Nov 26 11:06:26 2015 MacBook-Pro.local com.apple.xpc.launchd[1] (com.apple.webcontentfilter.dns) <Notice>: This service is defined to be constantly running and is inherently inefficient.
IOGraphics Flags Set3
OSMetaClass: Kext com.apple.driver.AppleIntelSMUGraphicsFB class HDPCtrl is a duplicate;kext com.apple.driver.AppleIntelFramebufferCapel already has a class by that name
Kext com.apple.driver.AppleIntelSMUGraphicsFB start failed (result 0xc000000a).
Kext com.apple.driver.AppleIntelSMUGraphicsFB failed to load (0xc0000017).
Failed to load kext com.apple.driver.AppleIntelSMUGraphicsFB (error 0xc0000017).
Previous shutdown cause: 5
Sound assertion in AppleIOHController at line 568
Sound assertion in AppleIOHController at line 417
AppleIPC:notifyPlatformFSPM - registering with plugin with FSPM Support true
OSMDS has arrived
**** [IOBluetoothFamily][SearchForTransportEventFlowOutHandler] -- Missing Bluetooth Controller Transport!
Thu Nov 26 11:06:33 2015 MacBook-Pro.local com.apple.xpc.launchd[1] (org.nip.ntp.117) <Warning>: Service exited with abnormal code: 255
lib_sasl.dylib: IPv6 address fe80::b204:bb8:0:0:21107 has no prefix
Thu Nov 26 11:12:23 2015 MacBook-Pro.local com.apple.xpc.launchd[1] (com.apple.bsd.dirhelper.435) <Warning>: Endpoint has been activated through legacy launch(3) APIs. Please switch to XPC or bootstrap_check_in(): com.apple.bsd.dirhelper
Thu Nov 26 11:12:12 2015 MacBook-Pro.local com.apple.xpc.launchd[1] (com.apple.bsd.dirhelper.442) <Warning>: Endpoint has been activated through legacy launch(3) APIs. Please switch to XPC or bootstrap_check_in(): com.apple.bsd.dirhelper
Thu Nov 26 11:12:12 2015 MacBook-Pro.local com.apple.xpc.launchd[1] (com.apple.trustd.agent) <Notice>: This key does not do anything: OsDown
Thu Nov 26 11:12:12 2015 MacBook-Pro.local com.apple.xpc.launchd[1] (com.apple.trustd.agent) <Error>: The ServiceIPC key is no longer respected. Please remove it.
Thu Nov 26 11:12:12 2015 MacBook-Pro.local com.apple.xpc.launchd[1] (com.apple.TrustEvaluationAgent) <Notice>: This key does not do anything: OsDown
Thu Nov 26 11:12:12 2015 MacBook-Pro.local com.apple.xpc.launchd[1] (com.apple.xpc.launchd.domain.user.202) <Error>: Could not read path: path = /Library/LaunchAgents, error = 2: No such file or directory
Thu Nov 26 11:12:12 2015 MacBook-Pro.local com.apple.xpc.launchd[1] (com.apple.xpc.launchd.domain.user.202) <Error>: Failed to bootstrap path: path = /Library/LaunchAgents, error = 2: No such file or directory
nfs: set LowDisk: vol:untitled, freebks:15, warninglimit:24
nfs: clear LowDisk: vol:untitled, freebks:103, warninglimit:24, desiredLevel:36
nfs: set LowDisk: vol:untitled, freebks:15, warninglimit:24
nfs: set VeryLowDisk: vol:untitled, freebks:0, dangerlimit:12
```

Aktuelle config.plist lad ich mal in den Anhang vielen dank im voraus

MfG