

Erledigt

Hacki @10.11 - USB Fix & div. "Problemchen"

Beitrag von „spakk“ vom 26. April 2016, 16:57

ak1848

Code

1. 1.
2. Find these two statements and delete them:
- 3.
- 4.
5. External (PS3X, MethodObj)
6. External (PS0X, MethodObj)
- 7.
- 8.
9. Please note that as an alternative to delete, you could simply place this "//" in front of each statement you wish the compiler to ignore - to comment them out - like this:
- 10.
- 11.
12. // External (PS3X, MethodObj)
13. // External (PS0X, MethodObj)
- 14.
- 15.
- 16.
17. 2. At around line 6290 you find a column of
- 18.
- 19.
20. Zero
21. Zero
22. etc.
- 23.
- 24.
25. Delete all the Zeros
- 26.
- 27.
28. 3. If (CondRefOf (_SB.PCI0.XHC.PS0X))
29. {
30. PS0X
31. }
- 32.
- 33.
34. Delete (or comment out by placing "//" this in front of) PS0X like this:

```

35.
36.
37. If (CondRefOf (\_SB.PCI0.XHC.PS0X))
38. {
39. // PS0X
40. }
41.
42.
43. 4. If (CondRefOf (\_SB.PCI0.XHC.PS3X))
44. {
45. PS3X
46. }
47. Delete ( or comment out by placing "/" this in front of ) PS3X like this:
48.
49.
50. If (CondRefOf (\_SB.PCI0.XHC.PS3X))
51. {
52. // PS3X
53. }
54.
55.
56. 5. If (CondRefOf (\_SB.PCI0.I2C0.PS0X))
57. {
58. PS0X
59. }
60.
61. Delete ( or comment out by placing "/" this in front of ) PS0X like this:
62.
63.
64. If (CondRefOf (\_SB.PCI0.I2C0.PS0X))
65. {
66. // PS0X
67. }
68.
69. 6. If (CondRefOf (\_SB.PCI0.I2C0.PS3X))
70. {
71. PS3X
72. }
73.
74. Delete ( or comment out by placing "/" this in front of ) PS3X like this:
75.
76.
77. If (CondRefOf (\_SB.PCI0.I2C0.PS3X))
78. {
79. // PS3X

```

```

80. }
81.
82. 7. If (CondRefOf (\_SB.PCI0.I2C1.PS0X))
83. {
84. PS0X
85. }
86. Delete ( or comment out by placing "/" this in front of ) PS0X like this:
87.
88.
89. If (CondRefOf (\_SB.PCI0.I2C1.PS0X))
90. {
91. // PS0X
92. }
93.
94.
95. 8. If (CondRefOf (\_SB.PCI0.SDHC.PS0X))
96. {
97. PS0X
98. }
99.
100. Delete ( or comment out by placing "/" this in front of ) PS0X like this:
101.
102.
103. If (CondRefOf (\_SB.PCI0.SDHC.PS0X))
104. {
105. // PS0X
106. }
107.
108.
109. 9. If (CondRefOf (\_SB.PCI0.I2C1.TPD7.PS0X))
110. {
111. PS0X
112. }
113.
114. Delete ( or comment out by placing "/" this in front of ) PS0X like this:
115.
116.
117. If (CondRefOf (\_SB.PCI0.I2C1.TPD7.PS0X))
118. {
119. // PS0X
120. }
121.
122. 10. If (CondRefOf (\_SB.PCI0.I2C1.TPD8.PS0X))
123. {

```

```
124. PS0X
125. }
126.
127.
128. Delete ( or comment out by placing "/" this in front of ) PS0X like this:
129.
130.
131. If (CondRefOf (\_SB.PCI0.I2C1.TPD8.PS0X))
132. {
133. // PS0X
134. }
135.
136.
137. 11. If (CondRefOf (\_SB.PCI0.SDHC.WI01.PS0X))
138. {
139. PS0X
140. }
141. Delete ( or comment out by placing "/" this in front of ) PS0X like this:
142.
143.
144. If (CondRefOf (\_SB.PCI0.SDHC.WI01.PS0X))
145. {
146. // PS0X
147. }
148.
149.
150. 12. If (CondRefOf (\_SB.PCI0.SDHC.WI01.PS3X))
151. {
152. PS3X
153. }
154.
155. Delete ( or comment out by placing "/" this in front of ) PS3X like this:
156.
157.
158. If (CondRefOf (\_SB.PCI0.SDHC.WI01.PS3X))
159. {
160. // PS3X
161. }
162.
163.
164. 13. Find:
165.
166.
167. If (CondRefOf (MDBG))
168. {
```

169. Return (MDBG)
170. Arg0
171. }
172. Replace:

Alles anzeigen

hier die [bereinigte DSDT](#), es sind nur die Fehler bereinigt, da ich im Moment nicht an meinem Hackintosh bin.

danach kannst du mit MacIasl die notwendigen patches installieren

PS: das USB-Fix paket ist nur als ein Notbehelfspaket für AMD hackintoshs zu betrachten, für Intel CPUs eignet sich das patchen der DSDT und gegebenenfalls das patchen des USB Treiber