

Erledigt

Nach Sleep -> Restart zum Bios / Dell Optiplex 9020

Beitrag von „shatterhenner“ vom 6. Mai 2018, 17:23

Her der komplette Terminal output :

Ich hatte die Internetfreigabe für mein Hackbook aktiviert, ich glaube die logs mit "Button" kommen davon 😞

Last login: Sun May 6 17:20:51 on console

Markuss-iMac:~ admin\$ log show --style syslog | fgrep "Wake reason"

```
2018-04-28 14:44:27.065967+0200 localhost kernel[0]: (AppleTopCaseHIDEventDriver) [HID]
[ATC] AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Button
(0x03)
```

```
2018-04-28 18:56:42.814475+0200 localhost kernel[0]: (AppleTopCaseHIDEventDriver) [HID]
[ATC] AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Button
(0x03)
```

```
2018-04-29 10:49:52.300209+0200 localhost kernel[0]: (AppleTopCaseHIDEventDriver) [HID]
[ATC] AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Button
(0x03)
```

```
2018-04-29 11:51:00.263136+0200 localhost kernel[0]: (AppleTopCaseHIDEventDriver) [HID]
[ATC] AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Button
(0x03)
```

```
2018-04-29 13:24:40.437658+0200 localhost kernel[0]: (AppleTopCaseHIDEventDriver) [HID]
[ATC] AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Button
```

(0x03)

2018-04-29 13:26:21.645475+0200 localhost kernel[0]: (AppleTopCaseHIDEventDriver) [HID]
[ATC] AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Button
(0x03)

2018-04-29 13:27:39.707646+0200 localhost kernel[0]: (AppleTopCaseHIDEventDriver) [HID]
[ATC] AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Button
(0x03)

2018-04-29 14:54:02.794411+0200 localhost kernel[0]: (AppleTopCaseHIDEventDriver) [HID]
[ATC] AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Button
(0x03)

2018-04-29 18:34:44.783565+0200 localhost kernel[0]: (AppleTopCaseHIDEventDriver) [HID]
[ATC] AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Button
(0x03)

2018-04-29 18:41:22.565450+0200 localhost kernel[0]: (AppleTopCaseHIDEventDriver) [HID]
[ATC] AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Button
(0x03)

2018-04-30 21:47:53.059091+0200 localhost kernel[0]: (AppleTopCaseHIDEventDriver) [HID]
[ATC] AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Button
(0x03)

2018-05-01 00:25:28.908356+0200 localhost kernel[0]: (AppleTopCaseHIDEventDriver) [HID]
[ATC] AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Button
(0x03)

2018-05-01 11:08:34.322839+0200 localhost kernel[0]: (AppleTopCaseHIDEventDriver) [HID]
[ATC] AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Button
(0x03)

2018-05-01 14:54:40.144503+0200 localhost kernel[0]: (AppleTopCaseHIDEventDriver) [HID]
[ATC] AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Button
(0x03)

2018-05-04 12:45:10.993162+0200 localhost kernel[0]: (AppleTopCaseHIDEventDriver) [HID]
[ATC] AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Button
(0x03)

2018-05-05 16:37:34.644439+0200 localhost kernel[0]: (AppleTopCaseHIDEventDriver) [HID]
[ATC] AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Button
(0x03)

2018-05-05 17:12:44.130748+0200 localhost kernel[0]: (AppleTopCaseHIDEventDriver) [HID]
[ATC] AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host
(0x01)

2018-05-06 03:56:52.617666+0200 localhost kernel[0]: (AppleTopCaseHIDEventDriver) [HID]
[ATC] AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host
(0x01)

2018-05-06 17:08:53.028451+0200 localhost kernel[0]: (AppleTopCaseHIDEventDriver) [HID]
[ATC] AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host
(0x01)

2018-05-06 17:20:52.732751+0200 localhost kernel[0]: (AppleTopCaseHIDEventDriver) [HID]
[ATC] AppleDeviceManagementHIDEventService::processWakeReason Wake reason: Host
(0x01)