OpenCore Sammelthread (Hilfe und Diskussion)

Beitrag von „user232“ vom 18. Dezember 2019, 10:09

> Zitat von Download-Fritz
>
> kein Output der Kommandos, keine Beschreibung des Fehlers, C-Datein führt man nicht aus

C-Dateien führ man nicht aus - ok

Habe das dann erst mal mit dem (c)ompilieren sein lassen.

Bootscreen **ohne** die beiden Securityschalter (RequireSignature, RequireVault)

Das System bootet damit trotzdem durch



Wenn ich die 2 Securityeinträge auf Yes stelle bleibt er hier hängen:

```
S: Starting OpenCore...
BS: Booter path - \EFI\BOOT\BOOTX64.EFI
OCF: Trying to locate filesystem on 896AB718 8976F558
OCF: Filesystem DP is \EFI\BOOT\BOOTX64.EFI
BS: Trying to start loaded OpenCore image...
BS: Failed to locate bootstrap protocol - Not Found
BS: Trying to load OpenCore image...
BS: Read OpenCore image of 476800 bytes
BS: Loaded OpenCore image at 89772798 handle
OCCPU: TSC Adjust 0
OCCPU: Known Model Core Crystal Clock Frequency    24000000Hz
OCCPU: CPUFrequencyFromART  2400000000Hz  2400MHz = 24000000 * 200 / 2
OC: Starting OpenCore...
OC: Booter path - <null string>
OC: Booted from bootstrap
OC: ReRun executed!
OC: OcMiscEarlyInit...
OCS: Aborting corrupted config.plist file access
OC: Failed to load configuration!
```