

Big Sur iso erstellen

Beitrag von „Schwarzkopf“ vom 22. September 2020, 12:58

Code

```
1. Last login: Tue Sep 22 11:37:03 on ttys000
2. pino@Pinos-iMac-Pro ~ % sudo hdiutil create -o /tmp/BigSur -size 16384m -volname
   BigSur -layout SPUD -fs HFS+J
3.
4.
5. Password:
6. hdiutil: create failed - Datei existiert
7. pino@Pinos-iMac-Pro ~ % sudo hdiutil create -o /tmp/BigSur -size 16384m -volname
   BigSur -layout SPUD -fs HFS+J
8.
9.
10. hdiutil: create failed - Datei existiert
11. pino@Pinos-iMac-Pro ~ % sudo hdiutil attach /tmp/BigSur.dmg -noverify -mountpoint
    /Volumes/BigSur
12.
13.
14. hdiutil: attach failed - Keine aktivierbaren Dateisysteme
15. pino@Pinos-iMac-Pro ~ % sudo /Applications/Install\ macOS\ Big\ Sur\
    Beta.app/Contents/Resources/createinstallmedia --volume /Volumes/BigSur --
    nointeraction
16.
17.
18. /Volumes/BigSur is not a valid volume mount point.
19. pino@Pinos-iMac-Pro ~ % sudo /Applications/Install\ macOS\ Big\ Sur\
    Beta.app/Contents/Resources/createinstallmedia --volume /Volumes/BigSur --
    nointeraction
20. /Volumes/BigSur is not a valid volume mount point.
21. pino@Pinos-iMac-Pro ~ % sudo /Applications/Install\ macOS\ Big\ Sur\
    Beta.app/Contents/Resources/createinstallmedia --volume /Volumes/BigSur1 --
    nointeraction
22. /Volumes/BigSur1 is not a valid volume mount point.
23. pino@Pinos-iMac-Pro ~ % hdiutil create -size 12G -fs hfs+ -volname macOSInstaller -type
    SPARSEBUNDLE /Users/Shared/macOSInstaller
24.
25.
26. hdiutil: create failed - Datei existiert
27. pino@Pinos-iMac-Pro ~ % hdiutil attach /Users/Shared/macOSInstaller.sparsebundle
```

```

28.
29.
30. /dev/disk4      GUID_partition_scheme
31. /dev/disk4s1    EFI
32. /dev/disk4s2    Apple_HFS              /Volumes/Install macOS Big Sur Beta
33. pino@Pinos-iMac-Pro ~ % sudo/Applications/Install\ macOS\ Big\ Sur\
    Beta.app/Contents/Resources/createinstallmedia --volume /Volumes/macOSInstaller --
    nointeraction
34. zsh: no such file or directory: sudo/Applications/Install macOS Big Sur
    Beta.app/Contents/Resources/createinstallmedia
35. pino@Pinos-iMac-Pro ~ % sudo /Applications/Install\ macOS\
    Beta.app/Contents/Resources/createinstallmedia --volume /Volumes/macOSInstaller --
    nointeraction
36.
37.
38. sudo: /Applications/Install macOS Beta.app/Contents/Resources/createinstallmedia:
    command not found
39. pino@Pinos-iMac-Pro ~ % hdiutil makehybrid -o /Users/Shared/macOSInstaller
    /Users/Shared/macOSInstaller.sparsebundle
40.
41.
42. hdiutil: makehybrid: /Users/Shared/macOSInstaller.iso already exists
43. pino@Pinos-iMac-Pro ~ % mkdir ~/Desktop/macOSBigSur
44.
45.
46. pino@Pinos-iMac-Pro ~ % hdiutil create -size 12G -fs hfs+ -volname
    macOSBigSurInstaller -type SPARSEBUNDLE
    ~/Desktop/macOSBigSur/macOSBigSurInstaller
47.
48.
49. created: /Users/pino/Desktop/macOSBigSur/macOSBigSurInstaller.sparsebundle
50. pino@Pinos-iMac-Pro ~ % hdiutil attach
    ~/Desktop/macOSBigSur/macOSBigSurInstaller.sparsebundle
51.
52.
53. /dev/disk5      GUID_partition_scheme
54. /dev/disk5s1    EFI
55. /dev/disk5s2    Apple_HFS              /Volumes/macOSBigSurInstaller
56. pino@Pinos-iMac-Pro ~ % sudo /Applications/Install\ macOS\
    Beta.app/Contents/Resources/createinstallmedia --volume
    /Volumes/macOSBigSurInstaller --nointeraction
57.
58.

```

```

59. sudo: /Applications/Install macOS Beta.app/Contents/Resources/createinstallmedia:
    command not found
60. pino@Pinos-iMac-Pro ~ % hdiutil makehybrid -o
    ~/Desktop/macOSBigSur/macOSBigSurInstaller
    ~/Desktop/macOSBigSur/macOSBigSurInstaller.sparsebundle
61.
62.
63. hdiutil: makehybrid: attach of disk image failed: 35
64. hdiutil: makehybrid failed - Interner Fehler
65. pino@Pinos-iMac-Pro ~ % mkdir ~/Desktop/macOSBigSur
66.
67.
68. pino@Pinos-iMac-Pro ~ % hdiutil create -size 12G -fs hfs+ -volname
    macOSBigSurInstaller -type SPARSEBUNDLE
    ~/Desktop/macOSBigSur/macOSBigSurInstaller
69.
70.
71. created: /Users/pino/Desktop/macOSBigSur/macOSBigSurInstaller.sparsebundle
72. pino@Pinos-iMac-Pro ~ % hdiutil attach
    ~/Desktop/macOSBigSur/macOSBigSurInstaller.sparsebundle
73.
74.
75. /dev/disk6      GUID_partition_scheme
76. /dev/disk6s1    EFI
77. /dev/disk6s2    Apple_HFS      /Volumes/macOSBigSurInstaller 1
78. pino@Pinos-iMac-Pro ~ % sudo /Applications/Install\ macOS\ Big\ Sur\
    Beta.app/Contents/Resources/createinstallmedia --volume
    /Volumes/macOSBigSurInstaller --nointeraction
79. Erasing disk: 0%... 10%... 20%... 30%... 100%
80. Copying to disk: 0%... 10%... 20%... 100%
81. Making disk bootable...
82. Couldn't extract BaseSystem to path: /Volumes/Install macOS Big Sur Beta 1/BaseSystem
83. The bless of the installer disk failed.
84. pino@Pinos-iMac-Pro ~ % hdiutil makehybrid -o
    ~/Desktop/macOSBigSur/macOSBigSurInstaller
    ~/Desktop/macOSBigSur/macOSBigSurInstaller.sparsebundle
85. hdiutil: makehybrid: attach of disk image failed: 35
86. hdiutil: makehybrid failed - Interner Fehler
87. pino@Pinos-iMac-Pro ~ % sudo hdiutil create -o /tmp/BigSur -size 15100m -volname
    BigSur -layout SPUD -fs HFS+J
88.
89.
90.
91.

```

```

92. Password:
93. hdiutil: create failed - Datei existiert
94. pino@Pinos-iMac-Pro ~ % sudo hdiutil attach /tmp/BigSur.dmg -noverify -mountpoint
/Volumes/BiBigSur
95. hdiutil: attach failed - Keine aktivierbaren Dateisysteme
96. pino@Pinos-iMac-Pro ~ % sudo hdiutil create -o /tmp/BigSur -size 15100m -volname
BigSur -layout SPUD -fs HFS+J
97.
98.
99.
100.
101. hdiutil: create failed - Datei existiert
102. pino@Pinos-iMac-Pro ~ % sudo hdiutil attach /tmp/BigSur.dmg -noverify -mountpoint
/Volumes/BiBigSur
103. hdiutil: attach failed - Keine aktivierbaren Dateisysteme
104. pino@Pinos-iMac-Pro ~ % sudo hdiutil create -o /tmp/BigSur -size 20100m -volname
BigSur -layout SPUD -fs HFS+J
105.
106.
107.
108.
109. Password:
110. hdiutil: create failed - Datei existiert
111. pino@Pinos-iMac-Pro ~ % sudo hdiutil attach /tmp/BigSur.dmg -noverify -mountpoint
/Volumes/BigSur
112.
113.
114.
115.
116. hdiutil: attach failed - Keine aktivierbaren Dateisysteme
117. pino@Pinos-iMac-Pro ~ % clear
118.
119.
120. pino@Pinos-iMac-Pro ~ % sudo hdiutil create -o /tmp/BigSur -size 20100m -volname
BigSur -layout SPUD -fs HFS+J
121. hdiutil: create failed - Datei existiert
122. pino@Pinos-iMac-Pro ~ % sudo hdiutil attach /tmp/BigSur.dmg -noverify -mountpoint
/Volumes/BigSur
123. hdiutil: attach failed - Keine aktivierbaren Dateisysteme
124. pino@Pinos-iMac-Pro ~ % sudo /Applications/Install\ macOS\ Big\ Sur\
Beta.app/Contents/Resources/createinstallmedia --volume /Volumes/BigSur ----
nointeraction
125. createinstallmedia: unrecognized option `----nointeraction'
126. Usage: createinstallmedia --volume <path to volume to convert>

```

127.
 128.
 129. Arguments
 130. --volume, A path to a volume that can be unmounted and erased to create the install media.
 131. --nointeraction, Erase the disk pointed to by volume without prompting for confirmation.
 132. --downloadassets, Download on-demand assets that may be required for installation.
 133.
 134.
 135. Example: createinstallmedia --volume /Volumes/Untitled
 136. pino@Pinos-iMac-Pro ~ % sudo /Applications/Install\ macOS\ Big\ Sur\ Beta.app/Contents/Resources/createinstallmedia --volume /Volumes/BigSur ----nointeraction
 137. createinstallmedia: unrecognized option `----nointeraction'
 138. Usage: createinstallmedia --volume <path to volume to convert>
 139.
 140.
 141. Arguments
 142. --volume, A path to a volume that can be unmounted and erased to create the install media.
 143. --nointeraction, Erase the disk pointed to by volume without prompting for confirmation.
 144. --downloadassets, Download on-demand assets that may be required for installation.
 145.
 146.
 147. Example: createinstallmedia --volume /Volumes/Untitled
 148. pino@Pinos-iMac-Pro ~ % clear
 149.
 150.
 151. pino@Pinos-iMac-Pro ~ % sudo hdiutil create -o /tmp/BigSur -size 20100m -volname BigSur -layout SPUD -fs HFS+J
 152. hdiutil: create failed - Datei existiert
 153. pino@Pinos-iMac-Pro ~ % sudo hdiutil attach /tmp/BigSur.dmg -noverify -mountpoint /Volumes/BigSur
 154.
 155.
 156.
 157.
 158. hdiutil: attach failed - Keine aktivierbaren Dateisysteme
 159. pino@Pinos-iMac-Pro ~ % sudo /Applications/Install\ macOS\ Big\ Sur\ Beta.app/Contents/Resources/createinstallmedia --volume /Volumes/BigSur ----nointeraction
 160. createinstallmedia: unrecognized option `----nointeraction'
 161. Usage: createinstallmedia --volume <path to volume to convert>
 162.
 163.

```
164. Arguments
165. --volume, A path to a volume that can be unmounted and erased to create the install
    media.
166. --nointeraction, Erase the disk pointed to by volume without prompting for confirmation.
167. --downloadassets, Download on-demand assets that may be required for installation.
168.
169.
170. Example: createinstallmedia --volume /Volumes/Untitled
171. pino@Pinos-iMac-Pro ~ % hdiutil convert /tmp/BigSur.dmg -format UDTO -o
    ~/Desktop/BigSur
172.
173.
174.
175.
176. Driver Descriptor Map (DDM : 0) lesen ...
177. Apple (Apple_partition_map : 1) lesen ...
178. (Apple_Free : 2) lesen ...
179. disk image (Apple_HFS : 3) lesen ...
180. .....
181. Dauer: 17.802s
182. Geschwindigkeit: 567.3M Byte/s
183. Ersparnis: 0.0 %
184. created: /Users/pino/Desktop/BigSur.cdr
185. pino@Pinos-iMac-Pro ~ %
```

Alles anzeigen

mit den letzten comand hat er BigSur.cdr auf den schreibtsch erstellt