

# Windows 10 auf Macbook 7.1 von 2010

Beitrag von „Bertus“ vom 15. September 2025, 13:38

Ok danke ich habe Windos jetzt auf einem anderen Macbook installiert.

Im Windows Installer ist keine Option zum ändern des Partitionsschema zu ändern.

im Momnet versuche ich das 5. mal einen installationsstick für das Macbook das kein Mac OS mehr hat zu erstellen aber das erstellen mit Open Core bricht immer wider ab und ich weis auch nicht genau wie ich open Core einstellen muss damit die Hardware richtig läuft ich möchte High Sirra auf dem Macbook 5.1 installieren. auf dem Macbook Pro 2010 hat es gebootet aber auf dem alten von 2008 bricht der boot nach ein par minuten ab.Dann habe ich mit anderen installern und Open Core Einstellunge weiter probiert aber es bricht immer wider ab.

# Creating Installer: Install macOS High Sierra

Creating macOS installers can take 30min+ on slower USB drives.

We will notify you when the installer is ready.



## Error

Failed to create macOS installer

Output: Started erase on disk2  
Unmounting disk  
Creating the partition map  
Waiting for partitions to activate  
Formatting disk2s2 as Mac OS Extended with  
name OCLP-Installer  
Initialized /dev/rdisk2s2 as a 58 GB case-  
insensitive HFS Plus volume  
Mounting disk  
Finished erase on disk2  
Copying installer files to disk...  
Copy complete.  
Making disk bootable...  
Copying boot files...  
Copy complete.  
Done.

Error: Erasing Disk: 0% 10% 20%

OK

