

Erledigt

GA-H61N-USB3 komme nicht weiter

Beitrag von „thommel“ vom 17. November 2013, 05:47

Hallo Hackinthosexperten,

brauche Eure Hilfe. Da die Kinder nun groß sind wünscht sich meine Frau einen kleinen Hackinthosh zum Fest. Leider fehlt mir die Erfahrung und ich komme trotz Suchfunktion nicht weiter.

Meine Hardware:

Gigabyte GA-H61N-USB3

Intel Core i3-3225 Prozessor (3,3GHz, L3 Cache, Sockel 1155)


Corsair XMS3 16GB (2x8GB) DDR3 1333 MHz

Intel HD 4000 interne Grafik


Western Digital WD10EFRX Red 1TB

LiteOn IHAS524-T07 interner DVD-Brenner 24x

Das BIOS:



↑↓→←:Move Enter:Select +/-/PU/PD:Value F10:Save ESC:Exit F1:General He
F5:Previous Values F6:Fail-Safe Defaults F7:Optimized Defaults



↑↓→←:Move Enter:Select +/-/PU/PD:Value F10:Save ESC:Exit F1:General He
F5:Previous Values F6:Fail-Safe Defaults F7:Optimized Defaults

CMOS Setup Utility - Copyright (C) 1984-2011 Award Software
Integrated Peripherals

		Item Help
SATA AHCI Mode	[AHCI]	
SATA Port0-1 Native Mode	[Enabled]	
USB Controllers	[Enabled]	Menu Level ▶
USB Legacy Function	[Enabled]	
USB Storage Function	[Enabled]	Choose SATA mode
Azalia Codec	[Auto]	
Onboard H/W LAN	[Enabled]	
▶ SMART LAN	[Press Enter]	[IDE]
Onboard LAN Boot ROM	[Disabled]	Enable SATA as IDE Function
Onboard USB 3.0 Controller	[Enabled]	[AHCI]
		Enable SATA as AHCI Function

↑↓→←:Move Enter:Select +/-/PU/PD:Value F10:Save ESC:Exit F1:General Help
F5:Previous Values F6:Fail-Safe Defaults F7:Optimized Defaults

CMOS Setup Utility - Copyright (C) 1984-2011 Award Software
Power Management Setup

		Item Help
ACPI Suspend Type	[S3(STR)]	
Soft-Off by PWR-BTTN	[Instant-Off]	
PME Event Wake Up	[Enabled]	Menu Level ▶
Resume by Alarm	[Disabled]	
x Date(of Month) Alarm	Everyday	[S1(POS)]
x Time(hh:mm:ss) Alarm	0 : 0 : 0	Set suspend type to Power On Suspend under ACPI OS
HPET Support	[Enabled]	
HPET Mode	[64-bit mode]	
AC Back Function	[Soft-Off]	
ErP Support	[Disabled]	[S3(STR)]
		Set suspend type to Suspend to RAM under ACPI OS

↑↓→←:Move Enter:Select +/-/PU/PD:Value F10:Save ESC:Exit F1:General Help
F5:Previous Values F6:Fail-Safe Defaults F7:Optimized Defaults

mit in den Extraordner kopiert habe.

Der Computer bootet immer bis siehe Bild:

```
e07:root#ssstraget class? /usr/sbin/tprnater devicetype88/I08lockStorageServices/I
BSD root: disks2, major 1, minor 3
Kernel is LP64
com.apple.launchd      1          com.apple.launchd
[] has started up. ***                                     1         **
com.apple.launchd      1          com.apple.launchd
boot, will log to /dev/console. ***                         1         **
com.apple.launchd      1          com.apple.launchd
in logging is enabled. ***                                   1         **
Creating RAM Disk for /Volumes
Initialized /dev/rdisk2 as a 512 KB HFS Plus volume
Creating RAM Disk for /var/tmp
Initialized /dev/rdisk3 as a 512 KB HFS Plus volume
Creating RAM Disk for /var/run
Initialized /dev/rdisk4 as a 512 KB HFS Plus volume
Creating RAM Disk for /System/Installation
Initialized /dev/rdisk5 as a 512 KB HFS Plus volume
Creating RAM Disk for /var/db
Initialized /dev/rdisk6 as a 512 KB HFS Plus volume
Creating RAM Disk for /var/folders
Initialized /dev/rdisk7 as a 6 MB HFS Plus volume
Creating RAM Disk for /var/root/Library
Initialized /dev/rdisk8 as a 2 MB HFS Plus volume
Creating RAM Disk for /Library/ColorSync/Profiles/Displays
Initialized /dev/rdisk9 as a 1824 KB HFS Plus volume
Creating RAM Disk for /Library/Preferences
Initialized /dev/rdisk10 as a 512 KB HFS Plus volume
Creating RAM Disk for /Library/Preferences/SystemConfiguration
Initialized /dev/rdisk11 as a 512 KB HFS Plus volume
Creating RAM Disk for /Library/Keychains
Initialized /dev/rdisk12 as a 1024 KB HFS Plus volume
using 64-bit bootcache playlist
BootCacheControl: Unable to open /var/db/BootCache.playlist: 2 No such file or directory
OSMetaClass: Kext com.apple.driver.AppleIntelSNBGraphicsFB class HDCPCtrl is a duplicate;kext com.apple.driver.AppleInte
fferCapri already has a class by that name.
Kext com.apple.driver.AppleIntelSNBGraphicsFB start failed (result 0xdc00400a).
Kext com.apple.driver.AppleIntelSNBGraphicsFB failed to load (0xdc000017).
Failed to load kext com.apple.driver.AppleIntelSNBGraphicsFB (error 0xdc000017).
SMC::smcReadKeyAction ERROR $Num kSMCKeyNotFound(0x84) fKeyHashTable=0x0
Previous Shutdown Cause: 3
SMC::smcInitHelper ERROR: MMIO regMap == NULL - fall back to old SMC mode
ACPI_SMC_PlatformPlugin::start - waitForService(resourceMatching(AppleIntelCPUPowerManagement)) timed out
WARNING: IOPlatformPluginUttl : getCPUIDInfo: this is an unknown CPU model 0x3a
-- power management may be incomplete or unsupported
DSMOS has arrived
[IOBluetoothHCCController][start] -- completed
**** [IOBluetoothHCCController][SearchForTransportEventTimeoutHandler] -- Missing Bluetooth Controller Transport!
```

Nach ca. 3 Minuten öffnet sich der Anmeldebildschirm doch weder Maus noch Tastatur haben Funktion.

Habe auch schon mit -x, GraphicsEnabler=Yes und No, PCIRootUID=1 und 0, npci=0x3000 und dart=0 probier aber ohne Erfolg.

Den Beitrag von Gandalf in der WIKI habe ich gelesen doch er hat Mountain Lion 10.8.2 installiert. Einen Beitrag mit ML 10.8.5 konnte ich nicht finden.

thommel