

# Hackintosh läuft trotz Fehlern in OCConfigCompare - Ignorieren?

**Beitrag von „Vostec“ vom 6. September 2021, 12:44**

Habe eine EFI aus dem Netz geladen und minimal verändert, damit sie auf meinem Rechner läuft (Setup in meiner Signatur). Konnte erfolgreich Big Sur mit OpenCore 0.7.2 installieren und bisher funktioniert alles, was ich testen konnte: WLAN, USB 2.0, USB 3.0, Audio und Grafik.

Kexte und Treiber habe ich manuell auf die aktuellsten (nightly) Versionen aktualisiert.

In einem Tutorial wurde empfohlen in Fällen wie meinen das Tool OCConfigCompare zu benutzen, da die ursprüngliche config.plist womöglich nicht mehr aktuell ist. In der Tat gab es viele Einträge, die gegenüber der sample.plist fehlen oder hinzugefügt wurden. Habe bereits gegoogelt um die Bedeutung der Einträge herauszufinden, jedoch werde ich daraus leider nicht schlau. Könnte jemand sich den Log anschauen und mir sagen ob ich Einträge in meiner config.plist ändern sollte und falls ja welche?

LG

Code

```
1. #####
2. # OC Config Compare #
3. #####
4.
5.
6. Checking for values missing from User plist:
7.
8.
9. config.plist -> ACPI -> Patch -> Array[0] - Missing Key: Base
10. config.plist -> ACPI -> Patch -> Array[0] - Missing Key: BaseSkip
11. config.plist -> ACPI -> Quirks - Missing Key: SyncTableIds
12. config.plist -> Booter - Missing Key: Patch
13. config.plist -> Booter -> Quirks - Missing Key: AllowRelocationBlock
14. config.plist -> Booter -> Quirks - Missing Key: ForceBooterSignature
15. config.plist -> DeviceProperties -> Add - Missing Key: PciRoot(0x0)/Pci(0x1b,0x0)
16. config.plist -> Kernel - Missing Key: Force
```

17. config.plist -> Kernel - Missing Key: Scheme
18. config.plist -&; Kernel -> Add -> Array[0] - Missing Key: Arch
19. config.plist -> Kernel -> Add -> Array[1] - Missing Key: Arch
20. config.plist -> Kernel -> Add -> Array[2] - Missing Key: Arch
21. config.plist -> Kernel -> Add -> Array[3] - Missing Key: Arch
22. config.plist -> Kernel -> Add -> Array[4] - Missing Key: Arch
23. config.plist -> Kernel -> Add -> Array[5] - Missing Key: Arch
24. config.plist -> Kernel -> Add -> Array[6] - Missing Key: Arch
25. config.plist -> Kernel -> Add -> Array[7] - Missing Key: Arch
26. config.plist -> Kernel -> Add -> Array[8] - Missing Key: Arch
27. config.plist -> Kernel -> Add -> Array[9] - Missing Key: Arch
28. config.plist -> Kernel -> Add -> Array[10] - Missing Key: Arch
29. config.plist -> Kernel -> Add -> Array[11] - Missing Key: Arch
30. config.plist -> Kernel -> Add -> Array[12] - Missing Key: Arch
31. config.plist -> Kernel -> Block -> Array[0] - Missing Key: Arch
32. config.plist -> Kernel -> Emulate - Missing Key: MaxKernel
33. config.plist -> Kernel -> Emulate - Missing Key: MinKernel
34. config.plist -> Kernel -> Patch -> Array[0] - Missing Key: Arch
35. config.plist -> Kernel -> Patch -> Array[1] - Missing Key: Arch
36. config.plist -> Kernel -> Patch -> Array[2] - Missing Key: Arch
37. config.plist -> Kernel -> Patch -> Array[3] - Missing Key: Arch
38. config.plist -> Kernel -> Patch -> Array[4] - Missing Key: Arch
39. config.plist -> Kernel -> Quirks - Missing Key: ExtendBTFeatureFlags
40. config.plist -> Kernel -> Quirks - Missing Key: ForceSecureBootScheme
41. config.plist -> Kernel -> Quirks - Missing Key: ProvideCurrentCpuInfo
42. config.plist -> Kernel -> Quirks - Missing Key: SetApfsTrimTimeout
43. config.plist -> Misc -> BlessOverride -> From|To-Array - Empty: Skipped
44. config.plist -> Misc -> Boot - Missing Key: LauncherOption
45. config.plist -> Misc -> Boot - Missing Key: LauncherPath
46. config.plist -> Misc -> Boot - Missing Key: PickerVariant
47. config.plist -> Misc -> Debug - Missing Key: SerialInit
48. config.plist -> Misc -> Entries -> Array[0] - Missing Key: Flavour
49. config.plist -> Misc -> Entries -> Array[0] - Missing Key: TextMode
50. config.plist -> Misc -> Security - Missing Key: AllowToggleSip
51. config.plist -> Misc -> Security - Missing Key: BlacklistAppleUpdate
52. config.plist -> Misc -> Security - Missing Key: PasswordHash
53. config.plist -> Misc -> Security - Missing Key: PasswordSalt
54. config.plist -> Misc -> Tools -> Array[0] - Missing Key: Flavour
55. config.plist -> Misc -> Tools -> Array[0] - Missing Key: RealPath
56. config.plist -> Misc -> Tools -> Array[0] - Missing Key: TextMode
57. config.plist -> Misc -> Tools -> Array[1] - Missing Key: Flavour

58. config.plist -> Misc -> Tools -> Array[1] - Missing Key: RealPath
59. config.plist -> Misc -> Tools -> Array[1] - Missing Key: TextMode
60. config.plist -> Misc -> Tools -> Array[2] - Missing Key: Flavour
61. config.plist -> Misc -> Tools -> Array[2] - Missing Key: RealPath
62. config.plist -> Misc -> Tools -> Array[2] - Missing Key: TextMode
63. config.plist -> Misc -> Tools -> Array[3] - Missing Key: Flavour
64. config.plist -> Misc -> Tools -> Array[3] - Missing Key: RealPath
65. config.plist -> Misc -> Tools -> Array[3] - Missing Key: TextMode
66. config.plist -> NVRAM -> Add -> 7C436110-AB2A-4BBB-A880-FE41995C9F82 - Missing Key: ForceDisplayRotationInEFI
67. config.plist -> NVRAM -> Add -> 7C436110-AB2A-4BBB-A880-FE41995C9F82 -> prev-lang:kbd - Type Difference: String --> Data
68. config.plist -> NVRAM -> Delete -> 4D1EDE05-38C7-4A6A-9CC6-4BCCA8B38C14 -> From-Array - Non-Dictionary Children: Skipped
69. config.plist -> NVRAM -> Delete -> 4D1FDA02-38C7-4A6A-9CC6-4BCCA8B30102 -> From-Array - Non-Dictionary Children: Skipped
70. config.plist -> NVRAM -> Delete -> 7C436110-AB2A-4BBB-A880-FE41995C9F82 -> From-Array - Non-Dictionary Children: Skipped
71. config.plist -> NVRAM -> LegacySchema -> 7C436110-AB2A-4BBB-A880-FE41995C9F82 -> From-Array - Non-Dictionary Children: Skipped
72. config.plist -> NVRAM -> LegacySchema -> 8BE4DF61-93CA-11D2-AA0D-00E098032B8C -> From-Array - Non-Dictionary Children: Skipped
73. config.plist -> PlatformInfo - Missing Key: CustomMemory
74. config.plist -> PlatformInfo - Missing Key: UseRawUuidEncoding
75. config.plist -> PlatformInfo -> Generic - Missing Key: AdviseFeatures
76. config.plist -> PlatformInfo -> Generic - Missing Key: MaxBIOSVersion
77. config.plist -> PlatformInfo -> Generic - Missing Key: ProcessorType
78. config.plist -> UEFI - Missing Key: AppleInput
79. config.plist -> UEFI -> Audio - Missing Key: ResetTrafficClass
80. config.plist -> UEFI -> Audio - Missing Key: SetupDelay
81. config.plist -> UEFI -> Drivers -> From-Array - Non-Dictionary Children: Skipped
82. config.plist -> UEFI -> Output - Missing Key: ForceResolution
83. config.plist -> UEFI -> Output - Missing Key: GopPassThrough
84. config.plist -> UEFI -> ProtocolOverrides - Missing Key: AppleEg2Info
85. config.plist -> UEFI -> Quirks - Missing Key: ActivateHpetSupport
86. config.plist -> UEFI -> Quirks - Missing Key: DisableSecurityPolicy
87. config.plist -> UEFI -> Quirks - Missing Key: EnableVectorAcceleration
88. config.plist -> UEFI -> Quirks - Missing Key: ForgeUefiSupport
89. config.plist -> UEFI -> Quirks - Missing Key: ReloadOptionRoms
90. config.plist -> UEFI -> ReservedMemory -> Array[0] - Missing Key: Type
- 91.
- 92.

93. Checking for values missing from Sample:
- 94.
- 95.
96. Sample.plist -> DeviceProperties -> Add - Missing Key: PciRoot(0x0)/Pci(0x14,0x0)
97. Sample.plist -> DeviceProperties -> Add - Missing Key: PciRoot(0x0)/Pci(0x1C,0x1)/Pci(0x0, 0x0)
98. Sample.plist -> DeviceProperties -> Add - Missing Key: PciRoot(0x0)/Pci(0x1F,0x3)
99. Sample.plist -> DeviceProperties -> Add - Missing Key: PciRoot(0x0)/Pci(0x2,0x0)
100. Sample.plist -> Misc -> BlessOverride -> From|To-Array - Empty: Skipped
101. Sample.plist -> NVRAM -> Add -> 7C436110-AB2A-4BBB-A880-FE41995C9F82 -> prev-lang:kbd - Type Difference: Data --> String
102. Sample.plist -> NVRAM -> Delete -> 4D1EDE05-38C7-4A6A-9CC6-4BCCA8B38C14 -> From-Array - Non-Dictionary Children: Skipped
103. Sample.plist -> NVRAM -> Delete -> 4D1FDA02-38C7-4A6A-9CC6-4BCCA8B30102 -> From-Array - Non-Dictionary Children: Skipped
104. Sample.plist -> NVRAM -> Delete -> 7C436110-AB2A-4BBB-A880-FE41995C9F82 -> From-Array - Non-Dictionary Children: Skipped
105. Sample.plist -> NVRAM -> LegacySchema -> 7C436110-AB2A-4BBB-A880-FE41995C9F82 -> From-Array - Non-Dictionary Children: Skipped
106. Sample.plist -> NVRAM -> LegacySchema -> 8BE4DF61-93CA-11D2-AA0D-00E098032B8C -> From-Array - Non-Dictionary Children: Skipped
107. Sample.plist -> UEFI -> Drivers -> From-Array - Non-Dictionary Children: Skipped

Alles anzeigen

---

## Beitrag von „karacho“ vom 6. September 2021, 12:56

### [Zitat von Vostec](#)

Könnte jemand sich den Log anschauen und mir sagen ob ich Einträge in meiner config.plist ändern sollte und falls ja welche?

Im Grunde steht alles da im Log Schwarz auf Weiß, was wo (in welcher Section) deiner config.plist fehlt und welche Einträge mit der Sample.plist abzugleichen sind.

---

## Beitrag von „Vostec“ vom 6. September 2021, 13:35

[karacho](#) Ich bin mir leider nicht sicher welche Werte aufgrund meines individuellen Setups nötig sind und welche geändert werden können, ohne das ich mir OpenCore zerschiesse.

---

## **Beitrag von „karacho“ vom 6. September 2021, 14:51**

Die stehen doch alle im Log.

Öffne mit einem Plist Editor die Sample.plist der OC Version welche du nutzt, und in einem anderen Fenster öffnest du deine config.plist, die Fenster nebeneinander stellen und dann die Einträge abgleichen.

Als Beispiel: bei config.plist -> **Booter** -> **Quirks** - Missing Key: AllowRelocationBlock.

Dieser Eintrag fehlt (Missing Key) in deiner config.plist und wird dementsprechend von OCConfigCompare angemahnt. Da deine config.plist jedoch, so wie sie jetzt ist, dein macOS auch klaglos bootet, sind die Meldungen im Log auch eher kosmetischer Natur. Du brauchst beim abgleichen an den Werten nichts ändern. Lass die Standardwerte so, wie sie in der Sample.plist stehen.

Edit: Mach zuvor ein Backup deiner EFI.